

Multi Split Inverter Cooling | Heating

for 2 - 5 indoor units

Advantages

- Comfortable room temperature throughout the whole year
- Inverter regulated energy-saving roll piston compressor with minimum noise and vibration emission
- The inverter technology saves energy and provides for highest climate comfort
- Outdoor unit pre-filled with refrigerant R410A for pipe-line length of up to 40 m
- Only one outdoor unit required for up to five indoor units ensuring an unobtrusive visual appearance in the outside area
- The Cleaning Free Function allows a re-use of existing pipelines
- Great selection of indoor units in wall, floor standing, ceiling concealed, ceiling suspended and ceiling cassette design. Indoor units of the M-Series as well as units of the Mr. Slim Inverter-Series with the new A-Control can be connected
- Indoor units with different performances can be combined as to room requirements
- Thanks to a special control your personal room climate can be saved according to your wish



- Automatic restart after power loss
- Winter kit for cooling operation down to -10 °C

MXZ Multi Split Inverter outdoor units, cooling | heating

Outdoor units		MXZ-2A30VA	MXZ-2A40VA	MXZ-2A52VA	MXZ-3A54VA	MXZ-4A71VA	MXZ-4A80VA	MXZ-5A100VA
Cooling capacity (kW)		3.0 (1.1 - 4.0)	4.0 (1.1 - 4.5)	5.2 (1.1 - 6.0)	5.4 (2.9 - 6.8)	7.1 (3.7 - 8.8)	8.0 (3.7 - 9.2)	10.0 (3.7 - 11.0)
Heating capacity (kW)		4.0 (1.1 - 4.5)	4.5 (1.0 - 5.0)	6.4 (1.0 - 7.2)	6.8 (2.6 - 9.0)	8.6 (3.4 - 9.0)	9.4 (3.4 - 11.6)	12.0 (3.4 - 14.0)
Energy efficiency class	Cooling/ Heating	A/A	A/A	A/A	A/A	A/A	A/A	A/A
Air volume (m ³ /h)		1950	1860	1860	2525	2525	2530	3396
Noise level dB(A)		44	44	45	44	45	46	46
Weight (kg)		34	40	40	57	56	67	68
Dimensions (mm)	Width	800	800	800	840	840	900	900
	Depth	285	285	285	330	330	320	320
	Height	550	550	550	710	710	900	900
Total piping length (m)*		20	30	30	50	60	70	80
Max. height difference (m)		10	15/10**	15/10**	15/10**	15/10**	15/10**	15/10**
Refrigerant pipe diameter Ø (mm)	liquid	2 x 6	2 x 6	2 x 6	3 x 6	4 x 6	4 x 6	5 x 6
	gas	2 x 10	2 x 10	2 x 10	3 x 10	1 x 12 / 3 x 10	1 x 12 / 3 x 10	1 x 12 / 4 x 10
Power supply (V, Phase, Hz)		220-240, 1, 50	220-240, 1, 50	220-240, 1, 50	220-240, 1, 50	220-240, 1, 50	220-240, 1, 50	220-240, 1, 50
Max. power consumption (kW)	Cooling	0.595	1.045	1.505	1.29	1.93	2.2	2.935
	Heating	0.745	0.945	1.705	1.45	1.95	1.93	2.835
Running current max. (A)		3.60	4.78	6.55	5.69	8.48	9.62	12.88
Breaker size (A)		16	16	16	25	25	25	25
Connectable indoor units (number)		2	2	2	2 - 3	2 - 4	2 - 4	2 - 5

* Refer to page 39 for refrigerant charge for the max. pipeline length

** 15 m in case the outdoor unit is installed below, 10 m in case the outdoor unit is installed above the indoor unit



Capacity tables Combinations with indoor units M-Series | Mr. Slim




MSZ-FD25/35
MSZ-GC22-35
MSZ-GB50
MSZ-GA 60/71



MFZ-KA25-50



MLZ-KA25-50



SLZ-KA25-50
PLA-RP35-71



PCA-RP50-71



SEZ-KD25-71
PEAD-RP35-71

MXZ-2A30VA

Combinations Capacity index	Operation mode Cooling/Heating	Capacity (kW)		
		A	B	Total
22	Cooling/Heating	2.20 / 3.30		2.2 (0.9-3.0) / 3.3 (0.9-4.0)
25	Cooling/Heating	2.50 / 3.60		2.2 (0.9-3.0) / 3.3 (0.9-4.0)
35	Cooling/Heating	3.50 / 4.00		3.5 (0.9-4.0) / 4.0 (0.9-4.8)
22+22	Cooling/Heating	1.90 / 2.20	1.90 / 2.20	3.8 (1.1-4.3) / 4.4 (1.0-4.8)
22+25	Cooling/Heating	1.80 / 2.06	2.07 / 2.34	3.9 (1.1-4.3) / 4.4 (1.0-4.8)

MXZ-2A40VA

Combinations Capacity index	Operation mode Cooling/Heating	Capacity (kW)		
		A	B	Total
22	Cooling/Heating	2.20 / 3.30		2.2 (0.9-3.0) / 3.3 (0.9-4.0)
25	Cooling/Heating	2.50 / 3.60		2.2 (0.9-3.0) / 3.3 (0.9-4.0)
35	Cooling/Heating	3.50 / 4.00		3.5 (0.9-4.0) / 4.0 (0.9-4.8)
22+22	Cooling/Heating	1.90 / 2.20	1.90 / 2.20	3.8 (1.1-4.3) / 4.4 (1.0-4.8)
22+25	Cooling/Heating	1.80 / 2.06	2.07 / 2.34	3.9 (1.1-4.3) / 4.4 (1.0-4.8)
22+35	Cooling/Heating	1.51 / 1.70	2.39 / 2.70	3.9 (1.1-4.4) / 4.4 (1.0-4.9)
25+25	Cooling/Heating	1.95 / 2.20	1.95 / 2.20	3.9 (1.1-4.4) / 4.4 (1.0-4.9)
25+35	Cooling/Heating	1.67 / 1.85	2.33 / 2.65	4.0 (1.1-4.5) / 4.5 (1.1-5.0)

MXZ-2A52VA

Combinations Capacity index	Operation mode Cooling/Heating	Capacity (kW)		
		A	B	Total
22	Cooling/Heating	2.20 / 3.30		2.2 (0.9-3.0) / 3.3 (0.9-4.0)
25	Cooling/Heating	2.50 / 3.60		2.5 (0.9-3.3) / 3.6 (0.9-4.5)
35	Cooling/Heating	3.50 / 4.00		3.5 (0.9-4.0) / 4.0 (0.9-4.8)
22+22	Cooling/Heating	2.20 / 3.05	2.20 / 3.05	4.4 (1.1-5.3) / 6.1 (1.0-6.7)
22+25	Cooling/Heating	2.20 / 2.90	2.50 / 3.30	4.7 (1.1-5.4) / 6.2 (1.0-6.8)
22+35	Cooling/Heating	1.93 / 2.43	3.07 / 3.87	5.0 (1.1-5.6) / 6.3 (1.0-7.0)
25+25	Cooling/Heating	2.50 / 3.15	2.50 / 3.15	5.0 (1.1-5.6) / 6.3 (1.0-7.0)
25+35	Cooling/Heating	2.13 / 2.63	2.97 / 3.67	5.1 (1.1-5.8) / 6.3 (1.0-7.1)
35+35	Cooling/Heating	2.60 / 3.20	2.60 / 3.20	5.2 (1.1-6.0) / 6.4 (1.0-7.2)

MXZ-3A54VA

Combinations Capacity index	Operation mode Cooling/Heating	Capacity (kW)			Total
		A	B	C	
22	Cooling/Heating	2.20 / 3.30			2.2 (1.4-3.0) / 3.3 (1.2-4.2)
25	Cooling/Heating	2.50 / 3.60			2.5 (1.4-3.3) / 3.6 (1.2-4.5)
35	Cooling/Heating	3.50 / 4.00			3.5 (1.5-4.3) / 4.0 (1.2-4.8)
50	Cooling/Heating	5.00 / 6.80			5.0 (1.6-5.6) / 6.8 (1.4-8.2)
22+22	Cooling/Heating	2.20 / 3.30	2.20 / 3.30		4.4 (2.0-5.4) / 6.6 (1.8-7.2)
22+25	Cooling/Heating	2.20 / 3.18	2.50 / 3.18		4.7 (2.0-5.8) / 6.8 (1.8-8.7)
22+35	Cooling/Heating	2.08 / 2.62	3.32 / 4.18		4.7 (2.0-5.8) / 6.8 (1.8-8.7)
22+50	Cooling/Heating	1.65 / 2.08	3.75 / 4.72		5.4 (2.0-6.8) / 6.8 (1.8-9.0)
25+25	Cooling/Heating	2.50 / 3.40	2.50 / 3.40		5.0 (2.0-6.0) / 6.8 (1.8-9.0)
25+35	Cooling/Heating	2.25 / 2.83	3.15 / 3.97		5.4 (2.0-6.8) / 6.8 (1.8-9.0)
25+50	Cooling/Heating	1.80 / 2.27	3.60 / 4.53		5.4 (2.0-6.8) / 6.8 (1.8-9.0)
35+35	Cooling/Heating	2.70 / 3.40	2.70 / 3.40		5.4 (2.0-6.8) / 6.8 (1.8-9.0)
35+50	Cooling/Heating	2.22 / 2.80	3.18 / 4.00		5.4 (2.0-6.8) / 6.8 (1.8-9.0)
50+50	Cooling/Heating	2.70 / 3.40	2.70 / 3.40		5.4 (2.0-6.8) / 6.8 (1.9-9.0)
22+22+22	Cooling/Heating	1.80 / 2.27	1.80 / 2.27	1.80 / 2.27	5.4 (2.9-6.8) / 6.8 (2.6-9.0)
22+22+25	Cooling/Heating	1.72 / 2.17	1.72 / 2.17	1.96 / 2.46	5.4 (2.9-6.8) / 6.8 (2.6-9.0)
22+22+35	Cooling/Heating	1.50 / 1.89	1.50 / 1.89	2.40 / 3.02	5.4 (2.9-6.8) / 6.8 (2.6-9.0)
22+22+50	Cooling/Heating	1.26 / 1.59	1.26 / 1.59	2.88 / 3.62	5.4 (2.9-6.8) / 6.8 (2.6-9.0)
22+25+25	Cooling/Heating	1.64 / 2.08	1.88 / 2.36	1.88 / 2.36	5.4 (2.9-6.8) / 6.8 (2.6-9.0)
22+25+35	Cooling/Heating	1.45 / 1.83	1.65 / 2.07	2.30 / 2.90	5.4 (2.9-6.8) / 6.8 (2.6-9.0)
22+25+50	Cooling/Heating	1.23 / 1.54	1.39 / 1.75	2.78 / 3.51	5.4 (2.9-6.8) / 6.8 (2.6-9.0)
22+35+35	Cooling/Heating	1.30 / 1.62	2.05 / 2.59	2.05 / 2.59	5.4 (2.9-6.8) / 6.8 (2.6-9.0)
25+25+25	Cooling/Heating	1.80 / 2.27	1.80 / 2.27	1.80 / 2.27	5.4 (2.9-6.8) / 6.8 (2.6-9.0)
25+25+35	Cooling/Heating	1.59 / 2.00	1.59 / 2.00	2.22 / 2.80	5.4 (2.9-6.8) / 6.8 (2.6-9.0)
25+25+50	Cooling/Heating	1.35 / 1.70	1.35 / 1.70	2.70 / 3.40	5.4 (2.9-6.8) / 6.8 (2.6-9.0)
25+35+35	Cooling/Heating	1.42 / 1.78	1.99 / 2.51	1.99 / 2.51	5.4 (2.9-6.8) / 6.8 (2.6-9.0)

Capacity tables Combinations with indoor units M-Series | Mr. Slim




MSZ-FD25/35
MSZ-GC22-35
MSZ-GB50
MSZ-GA 60/71



MFZ-KA25-50



MLZ-KA25-50



SLZ-KA25-50
PLA-RP35-71



PCA-RP50-71



SEZ-KD25-71
PEAD-RP35-71

MXZ-4A71VA

Combinations Capacity index	Operation mode Cooling/Heating	Capacity (kW)				Total
		A	B	C	D	
22	Cooling/Heating	2.20 / 3.30				2.2 (1.4-3.0) / 3.3 (1.2-4.2)
25	Cooling/Heating	2.50 / 3.60				2.5 (1.4-3.3) / 3.6 (1.2-4.5)
35	Cooling/Heating	3.50 / 4.00				3.5 (1.5-4.3) / 4.0 (1.2-4.8)
50	Cooling/Heating	5.00 / 7.20				5.0 (1.6-5.6) / 7.2 (1.4-8.2)
60	Cooling/Heating	6.00 / 7.90				6.0 (1.6-6.0) / 7.9 (1.4-8.6)
22+22	Cooling/Heating	2.20 / 3.30	2.20 / 3.30			4.4 (2.0-5.4) / 6.6 (1.8-7.2)
22+25	Cooling/Heating	2.20 / 3.23	2.50 / 3.67			4.7 (2.0-5.8) / 6.9 (1.8-8.7)
22+35	Cooling/Heating	2.20 / 2.82	3.50 / 4.48			5.7 (2.0-6.6) / 7.3 (1.8-9.0)
22+50	Cooling/Heating	2.08 / 2.63	4.72 / 5.97			6.8 (2.0-7.1) / 8.6 (1.8-9.0)
22+60	Cooling/Heating	1.82 / 2.31	4.98 / 6.29			6.8 (2.0-7.1) / 8.6 (1.8-9.0)
25+25	Cooling/Heating	2.50 / 3.60	2.50 / 3.60			5.0 (2.0-6.0) / 7.2 (1.8-9.0)
25+35	Cooling/Heating	2.50 / 3.17	3.50 / 4.43			6.0 (2.0-7.1) / 7.6 (1.8-9.0)
25+50	Cooling/Heating	2.27 / 2.87	4.53 / 5.73			6.8 (2.0-7.1) / 8.6 (1.8-9.0)
25+60	Cooling/Heating	2.00 / 2.53	4.80 / 6.07			6.8 (2.0-7.1) / 8.6 (1.8-9.0)
35+35	Cooling/Heating	3.40 / 4.30	3.40 / 4.30			6.8 (2.0-7.1) / 8.6 (1.8-9.0)
35+50	Cooling/Heating	2.80 / 3.54	4.00 / 5.06			6.8 (2.0-7.1) / 8.6 (1.8-9.0)
35+60	Cooling/Heating	2.51 / 3.17	4.29 / 5.43			6.8 (2.0-7.1) / 8.6 (1.8-9.0)
50+50	Cooling/Heating	3.40 / 4.30	3.40 / 4.30			6.8 (2.0-7.1) / 8.6 (1.9-9.0)
50+60	Cooling/Heating	3.09 / 3.91	3.71 / 4.69			6.8 (2.0-7.1) / 8.6 (1.9-9.0)
60+60	Cooling/Heating	3.40 / 4.30	3.40 / 4.30			6.8 (2.0-7.1) / 9.0 (1.8-10.1)
22+22+22	Cooling/Heating	2.20 / 2.87	2.20 / 2.87	2.20 / 2.87		6.6 (2.9-8.1) / 8.6 (2.6-9.0)
22+22+25	Cooling/Heating	2.20 / 2.74	2.20 / 2.74	2.50 / 3.12		6.9 (2.9-8.3) / 8.6 (2.6-9.0)
22+22+35	Cooling/Heating	1.98 / 2.39	1.98 / 2.39	3.14 / 3.82		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
22+22+50	Cooling/Heating	1.66 / 2.01	1.66 / 2.01	3.78 / 4.58		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
22+22+60	Cooling/Heating	1.50 / 1.82	1.50 / 1.82	4.10 / 4.96		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
22+25+25	Cooling/Heating	2.16 / 2.62	2.47 / 2.99	2.47 / 2.99		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
22+25+35	Cooling/Heating	1.91 / 2.31	2.16 / 2.62	3.03 / 3.67		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
22+25+50	Cooling/Heating	1.61 / 1.95	1.83 / 2.22	3.66 / 4.43		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
22+25+60	Cooling/Heating	1.46 / 1.77	1.66 / 2.01	3.98 / 4.82		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
22+35+35	Cooling/Heating	1.70 / 2.06	2.70 / 3.27	2.70 / 3.27		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
22+35+50	Cooling/Heating	1.46 / 1.77	2.32 / 2.81	3.32 / 4.02		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
22+35+60	Cooling/Heating	1.34 / 1.62	2.12 / 2.57	3.64 / 4.41		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
22+50+50	Cooling/Heating	1.28 / 1.56	2.91 / 3.52	2.91 / 3.52		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
25+25+25	Cooling/Heating	2.36 / 2.86	2.36 / 2.86	2.36 / 2.86		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
25+25+35	Cooling/Heating	2.09 / 2.53	2.09 / 2.53	2.92 / 2.53		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
25+25+50	Cooling/Heating	1.78 / 2.15	1.78 / 2.15	3.54 / 4.30		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
25+25+60	Cooling/Heating	1.61 / 1.95	1.61 / 1.95	3.88 / 4.68		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
25+35+35	Cooling/Heating	1.86 / 2.26	2.62 / 3.17	2.62 / 3.17		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
25+35+50	Cooling/Heating	1.61 / 1.95	2.26 / 2.74	3.23 / 3.91		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
25+35+60	Cooling/Heating	1.48 / 1.79	2.07 / 2.51	3.55 / 4.30		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
25+50+50	Cooling/Heating	1.42 / 1.72	2.84 / 3.44	2.84 / 3.44		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
35+35+35	Cooling/Heating	2.36 / 2.86	2.36 / 2.86	2.36 / 2.86		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
35+35+50	Cooling/Heating	2.07 / 2.51	2.07 / 2.51	2.96 / 3.58		7.1 (2.9-8.5) / 8.6 (2.6-9.0)
22+22+22+22	Cooling/Heating	1.77 / 2.15	1.77 / 2.15	1.77 / 2.15	1.77 / 2.15	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
22+22+22+25	Cooling/Heating	1.72 / 2.08	1.72 / 2.08	1.72 / 2.08	1.94 / 2.36	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
22+22+22+35	Cooling/Heating	1.55 / 1.87	1.55 / 1.87	1.55 / 1.87	2.45 / 2.98	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
22+22+22+50	Cooling/Heating	1.35 / 1.63	1.35 / 1.63	1.35 / 1.63	3.05 / 3.71	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
22+22+25+25	Cooling/Heating	1.66 / 2.01	1.66 / 2.01	1.89 / 2.29	1.89 / 2.29	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
22+22+25+35	Cooling/Heating	1.50 / 1.82	1.50 / 1.82	1.71 / 2.07	2.39 / 2.89	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
22+22+25+50	Cooling/Heating	1.31 / 1.59	1.31 / 1.59	1.50 / 1.81	2.98 / 3.61	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
22+22+35+35	Cooling/Heating	1.37 / 1.66	1.37 / 1.66	2.18 / 2.64	2.18 / 2.64	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
22+25+25+25	Cooling/Heating	1.61 / 1.94	1.83 / 2.22	1.83 / 2.22	1.83 / 2.22	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
22+25+25+35	Cooling/Heating	1.46 / 1.77	1.66 / 2.01	1.66 / 2.01	2.32 / 2.81	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
22+25+25+50	Cooling/Heating	1.29 / 1.56	1.45 / 1.76	1.45 / 1.76	2.91 / 3.52	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
22+25+35+35	Cooling/Heating	1.34 / 1.62	1.52 / 1.84	2.12 / 2.57	2.12 / 2.57	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
25+25+25+25	Cooling/Heating	1.77 / 2.15	1.77 / 2.15	1.77 / 2.15	1.77 / 2.15	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
25+25+25+35	Cooling/Heating	1.61 / 1.95	1.61 / 1.95	1.61 / 1.95	2.27 / 2.75	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
25+25+25+50	Cooling/Heating	1.42 / 1.72	1.42 / 1.72	1.42 / 1.72	2.84 / 3.44	7.1 (3.7-8.8) / 8.6 (3.4-9.0)
25+25+35+35	Cooling/Heating	1.48 / 1.79	1.48 / 1.79	2.07 / 2.51	2.07 / 2.51	7.1 (3.7-8.8) / 8.6 (3.4-9.0)

MXZ-4A80VA

Combinations Capacity index	Operation mode Cooling/Heating	Capacity (kW)				Total
		A	B	C	D	
22	Cooling/Heating	2.20 / 3.30				2.30 (1.4-3.0) / 3.30 (1.2- 4.2)
25	Cooling/Heating	2.50 / 3.60				2.50 (1.4-3.3) / 3.60 (1.2- 4.5)
35	Cooling/Heating	3.40 / 4.00				3.40 (1.5-4.3) / 4.00 (1.2- 4.8)
50	Cooling/Heating	5.00 / 7.20				5.00 (1.6-5.6) / 7.20 (1.4- 8.2)
60	Cooling/Heating	6.00 / 7.90				6.00 (1.6-6.6) / 7.90 (1.4- 8.6)
71	Cooling/Heating	7.10 / 8.60				7.10 (1.6-7.4) / 8.60 (1.4- 8.6)
22+22	Cooling/Heating	2.30 / 3.30	2.30 / 3.30			4.60 (2.0-5.4) / 6.60 (1.8- 7.2)
22+25	Cooling/Heating	2.10 / 3.23	2.70 / 3.67			4.80 (2.0-5.8) / 6.90 (1.8- 8.7)
22+35	Cooling/Heating	2.10 / 2.82	3.60 / 4.48			5.70 (2.0-6.6) / 7.30 (1.8- 9.2)
22+50	Cooling/Heating	2.04 / 2.52	5.25 / 6.88			7.30 (2.0-7.7) / 8.90 (1.8- 9.9)
22+60	Cooling/Heating	1.75 / 2.52	6.00 / 6.88			7.75 (2.0-8.0) / 9.40 (1.8- 9.9)
22+71	Cooling/Heating	1.66 / 2.22	6.19 / 7.18			7.85 (2.0-8.2) / 9.40 (1.8- 9.9)
25+25	Cooling/Heating	2.50 / 3.60	2.50 / 3.60			5.00 (2.0-6.2) / 7.20 (1.8- 9.1)

Capacity tables Combinations with indoor units M-Series | Mr. Slim




MSZ-FD25/35
MSZ-GC22-35
MSZ-GB50
MSZ-GA 60/71



MFZ-KA25-50



MLZ-KA25-50



SLZ-KA25-50
PLA-RP35-71



PCA-RP50-71



SEZ-KD25-71
PEAD-RP35-71

MXZ-4A80VA

Combinations Capacity index	Operation mode Cooling/Heating	Capacity (kW)				Total
		A	B	C	D	
25+35	Cooling/Heating	2.52 / 3.17	3.37 / 4.43			5.90 (2.0-7.3) / 7.60 (1.8-9.5)
25+50	Cooling/Heating	2.50 / 3.00	5.00 / 6.00			7.50 (2.0-8.5) / 9.00 (1.8-10.1)
25+60	Cooling/Heating	2.11 / 2.76	5.64 / 6.64			7.75 (2.0-8.6) / 9.40 (1.8-10.1)
25+71	Cooling/Heating	2.01 / 2.45	5.84 / 6.98			7.85 (2.0-8.7) / 9.40 (1.8-10.1)
35+35	Cooling/Heating	3.40 / 4.00	3.40 / 4.00			6.80 (2.0-8.8) / 8.00 (1.8-9.8)
35+50	Cooling/Heating	3.10 / 3.87	4.65 / 5.53			7.75 (2.0-8.8) / 9.40 (1.8-10.5)
35+60	Cooling/Heating	2.61 / 3.46	5.24 / 5.94			7.85 (2.0-8.8) / 9.40 (1.8-10.5)
35+71	Cooling/Heating	2.51 / 3.10	5.44 / 6.30			7.95 (2.0-8.8) / 9.40 (1.8-10.5)
50+50	Cooling/Heating	3.95 / 4.70	3.95 / 4.70			7.90 (2.1-8.8) / 9.40 (1.9-11.2)
50+60	Cooling/Heating	3.42 / 4.27	4.57 / 5.37			8.00 (2.1-8.8) / 9.40 (1.9-11.2)
50+71	Cooling/Heating	3.27 / 3.88	4.72 / 5.52			8.00 (2.1-8.8) / 9.40 (1.9-11.2)
60+60	Cooling/Heating	4.00 / 4.70	4.00 / 4.70			8.00 (2.1-8.8) / 9.40 (1.9-11.2)
60+71	Cooling/Heating	3.84 / 4.31	4.16 / 5.09			8.00 (2.1-8.8) / 9.40 (1.9-11.2)
22+22+22	Cooling/Heating	2.30 / 2.90	2.30 / 2.90	2.30 / 2.90		8.70 (2.9-8.1) / 8.60 (2.6-10.6)
22+22+25	Cooling/Heating	2.16 / 2.84	2.16 / 2.81	2.16 / 3.19		7.10 (2.9-8.6) / 8.80 (2.6-11.1)
22+22+35	Cooling/Heating	2.07 / 2.62	2.07 / 2.62	3.55 / 4.16		7.70 (2.9-9.0) / 9.40 (2.6-11.6)
22+22+50	Cooling/Heating	1.72 / 2.20	1.72 / 2.20	4.41 / 5.00		7.85 (2.9-9.0) / 9.40 (2.6-11.6)
22+22+60	Cooling/Heating	1.46 / 1.99	1.46 / 1.99	5.03 / 5.42		7.95 (2.9-9.0) / 9.40 (2.6-11.6)
22+22+71	Cooling/Heating	1.40 / 1.80	1.40 / 1.80	5.20 / 5.80		8.00 (2.9-9.0) / 9.40 (2.6-11.6)
22+25+25	Cooling/Heating	2.04 / 2.72	2.62 / 3.09	2.62 / 3.09		7.30 (2.9-8.9) / 8.90 (2.6-11.6)
22+25+35	Cooling/Heating	1.93 / 2.52	2.49 / 2.87	3.33 / 4.01		7.75 (2.9-9.0) / 9.40 (2.6-11.6)
22+25+50	Cooling/Heating	1.62 / 2.13	2.09 / 2.42	4.18 / 4.85		7.90 (2.9-9.0) / 9.40 (2.6-11.6)
22+25+60	Cooling/Heating	1.40 / 1.93	1.80 / 2.20	4.80 / 5.27		8.00 (2.9-9.0) / 9.40 (2.6-11.6)
22+25+71	Cooling/Heating	1.33 / 1.75	1.71 / 1.99	4.95 / 5.66		8.00 (2.9-9.0) / 9.40 (2.6-11.6)
22+35+35	Cooling/Heating	1.77 / 2.25	3.04 / 3.58	3.04 / 3.58		7.85 (2.9-9.0) / 9.40 (2.6-11.6)
22+35+50	Cooling/Heating	1.49 / 1.93	2.56 / 3.07	3.84 / 4.39		7.90 (2.9-9.0) / 9.40 (2.7-11.6)
22+35+60	Cooling/Heating	1.30 / 1.77	2.23 / 2.81	4.46 / 4.82		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
22+35+71	Cooling/Heating	1.24 / 1.62	2.13 / 2.57	4.62 / 5.21		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
22+50+50	Cooling/Heating	1.30 / 1.70	3.34 / 3.85	3.34 / 3.85		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
22+50+60	Cooling/Heating	1.14 / 1.57	2.93 / 3.56	3.91 / 4.27		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
22+50+71	Cooling/Heating	1.09 / 1.45	2.82 / 3.29	4.07 / 4.67		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
25+25+25	Cooling/Heating	2.36 / 3.00	2.36 / 3.00	2.36 / 3.00		7.10 (2.9-9.0) / 9.00 (2.6-11.6)
25+25+35	Cooling/Heating	2.32 / 2.76	2.32 / 2.76	3.11 / 3.87		7.75 (2.9-9.0) / 9.40 (2.6-11.6)
25+25+50	Cooling/Heating	1.97 / 2.35	1.97 / 2.35	3.95 / 4.70		7.90 (2.9-9.0) / 9.40 (2.6-11.6)
25+25+60	Cooling/Heating	1.71 / 2.14	1.71 / 2.14	4.57 / 5.13		8.00 (2.9-9.0) / 9.40 (2.6-11.6)
25+25+71	Cooling/Heating	1.63 / 1.94	1.63 / 1.94	4.72 / 5.52		8.00 (2.9-9.0) / 9.40 (2.6-11.6)
25+35+35	Cooling/Heating	2.15 / 2.48	2.85 / 3.46	2.85 / 3.46		7.85 (2.9-9.0) / 9.40 (2.6-11.6)
25+35+50	Cooling/Heating	1.84 / 2.14	2.46 / 2.99	3.69 / 4.27		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
25+35+60	Cooling/Heating	1.60 / 1.96	2.13 / 2.74	4.26 / 4.70		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
25+35+71	Cooling/Heating	1.53 / 1.79	2.04 / 2.51	4.42 / 5.09		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
25+50+50	Cooling/Heating	1.60 / 1.88	3.20 / 3.76	3.20 / 3.76		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
25+50+60	Cooling/Heating	1.41 / 1.74	2.82 / 3.48	3.76 / 4.18		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
35+35+35	Cooling/Heating	2.65 / 3.13	2.65 / 3.13	2.65 / 3.13		7.95 (2.9-9.0) / 9.40 (2.6-11.6)
35+35+50	Cooling/Heating	2.28 / 2.74	2.28 / 2.74	3.42 / 3.92		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
35+35+60	Cooling/Heating	2.00 / 2.53	2.00 / 2.53	4.00 / 4.34		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
35+35+71	Cooling/Heating	1.92 / 2.33	1.92 / 2.33	4.16 / 4.74		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
35+50+50	Cooling/Heating	2.00 / 2.44	3.00 / 3.48	3.00 / 3.48		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
35+50+60	Cooling/Heating	1.77 / 2.27	2.66 / 3.24	3.55 / 3.89		8.00 (2.9-9.0) / 9.40 (2.7-11.6)
22+22+22+22	Cooling/Heating	1.95 / 2.35	1.95 / 2.35	1.95 / 2.35	1.95 / 2.35	7.80 (3.7-9.2) / 9.40 (3.4-11.6)
22+22+22+25	Cooling/Heating	1.83 / 2.27	1.83 / 2.27	1.83 / 2.27	2.36 / 2.59	7.85 (3.7-9.2) / 9.40 (3.4-11.6)
22+22+22+35	Cooling/Heating	1.68 / 2.05	1.68 / 2.05	1.68 / 2.05	2.91 / 3.25	7.95 (3.7-9.2) / 9.40 (3.4-11.6)
22+22+22+50	Cooling/Heating	1.43 / 1.78	1.43 / 1.78	1.43 / 1.78	3.69 / 4.06	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
22+22+22+60	Cooling/Heating	1.24 / 1.64	1.24 / 1.64	1.24 / 1.64	4.26 / 4.48	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
22+22+22+71	Cooling/Heating	1.19 / 1.51	1.19 / 1.51	1.19 / 1.51	4.42 / 4.87	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
22+22+25+25	Cooling/Heating	1.72 / 2.20	1.72 / 2.20	2.20 / 2.50	2.20 / 2.50	7.85 (3.7-9.2) / 9.40 (3.4-11.6)
22+22+25+35	Cooling/Heating	1.59 / 1.99	1.59 / 1.99	2.04 / 2.26	2.72 / 3.16	7.95 (3.7-9.2) / 8.60 (3.4-9.0)
22+22+25+50	Cooling/Heating	1.36 / 1.74	1.36 / 1.74	1.75 / 1.97	3.51 / 3.95	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
22+22+25+60	Cooling/Heating	1.19 / 1.6	1.19 / 1.6	1.53 / 1.83	4.08 / 4.37	8.00 (3.7-9.2) / 9.40 (3.5-11.6)
22+22+25+71	Cooling/Heating	1.14 / 1.48	1.14 / 1.48	1.46 / 1.68	4.24 / 4.76	8.00 (3.7-9.2) / 9.40 (3.5-11.6)
22+22+35+35	Cooling/Heating	1.47 / 1.81	1.47 / 1.81	2.52 / 2.89	2.52 / 2.89	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
22+22+35+50	Cooling/Heating	1.27 / 1.60	1.27 / 1.60	2.18 / 2.55	3.27 / 3.65	8.00 (3.7-9.2) / 9.40 (3.5-11.6)
22+22+35+60	Cooling/Heating	1.12 / 1.49	1.12 / 1.49	1.92 / 2.37	3.84 / 4.05	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
22+22+50+50	Cooling/Heating	1.12 / 1.44	1.12 / 1.44	2.88 / 3.26	2.88 / 3.26	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
22+25+25+25	Cooling/Heating	1.62 / 2.14	2.09 / 2.42	2.09 / 2.42	2.09 / 2.42	7.90 (3.7-9.2) / 9.40 (3.4-11.6)
22+25+25+35	Cooling/Heating	1.50 / 1.93	1.93 / 2.20	1.93 / 2.20	2.59 / 3.07	7.95 (3.7-9.2) / 9.40 (3.4-11.6)
22+25+25+50	Cooling/Heating	1.30 / 1.70	1.67 / 1.93	1.67 / 1.93	3.34 / 3.85	8.00 (3.7-9.2) / 9.40 (3.5-11.6)
22+25+25+60	Cooling/Heating	1.14 / 1.57	1.46 / 1.78	1.46 / 1.78	3.91 / 4.27	8.00 (3.7-9.2) / 9.40 (3.5-11.6)
22+25+35+35	Cooling/Heating	1.40 / 1.77	1.80 / 2.01	2.40 / 2.81	2.40 / 2.81	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
22+25+35+50	Cooling/Heating	1.21 / 1.57	1.56 / 1.78	2.08 / 2.49	3.13 / 3.56	8.00 (3.7-9.2) / 9.40 (3.5-11.6)
22+25+35+60	Cooling/Heating	1.07 / 1.46	1.38 / 1.65	1.84 / 2.32	3.69 / 3.97	8.00 (3.7-9.2) / 9.40 (3.5-11.6)
22+35+35+35	Cooling/Heating	1.30 / 1.63	2.23 / 2.59	2.23 / 2.59	2.23 / 2.59	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
22+35+35+50	Cooling/Heating	1.14 / 1.45	1.95 / 2.32	1.95 / 2.32	2.93 / 3.31	8.00 (3.7-9.2) / 9.40 (3.5-11.6)
25+25+25+25	Cooling/Heating	1.97 / 2.35	1.97 / 2.35	1.97 / 2.35	1.97 / 2.35	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
25+25+25+35	Cooling/Heating	1.84 / 2.14	1.84 / 2.14	1.84 / 2.14	2.46 / 2.98	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
25+25+25+50	Cooling/Heating	1.60 / 1.88	1.60 / 1.88	1.60 / 1.88	3.20 / 3.76	8.00 (3.7-9.2) / 9.40 (3.5-11.6)
25+25+25+60	Cooling/Heating	1.41 / 1.74	1.41 / 1.74	1.41 / 1.74	3.76 / 4.18	8.00 (3.7-9.2) / 9.40 (3.5-11.6)
25+25+35+35	Cooling/Heating	1.56 / 1.96	1.75 / 1.96	2.34 / 2.74	2.34 / 2.74	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
25+25+35+50	Cooling/Heating	1.50 / 1.74	1.50 / 1.74	2.00 / 2.44	3.00 / 3.48	8.00 (3.7-9.2) / 9.40 (3.5-11.6)
25+35+35+35	Cooling/Heating	1.60 / 1.81	2.13 / 2.53	2.13 / 2.53	2.13 / 2.53	8.00 (3.7-9.2) / 9.40 (3.4-11.6)
35+35+35+35	Cooling/Heating	2.00 / 2.35	2.00 / 2.35	2.00 / 2.35	2.00 / 2.35	8.00 (3.7-9.2) / 9.40 (3.4-11.6)

Capacity tables Combinations with indoor units M-Series | Mr. Slim




MSZ-FD25/35
MSZ-GC22-35
MSZ-GB50
MSZ-GA 60/71



MFZ-KA25-50



MLZ-KA25-50



SLZ-KA25-50
PLA-RP35-71



PCA-RP50-71



SEZ-KD25-71
PEAD-RP35-71

MXZ-5A100VA

Combinations Capacity index	Operation mode Cooling/Heating	Capacity (kW)					Total
		A	B	C	D	E	
22	Cooling/Heating	2.20 / 3.30					2.2 (1.4 -3.0) / 3.3 (1.2 -4.2)
25	Cooling/Heating	2.50 / 3.60					2.5 (1.4 -3.3) / 3.6 (1.2 -4.5)
35	Cooling/Heating	3.50 / 4.00					3.5 (1.5 -4.3) / 4.0 (1.2 -4.8)
50	Cooling/Heating	5.00 / 7.20					5.0 (1.6 -5.6) / 7.2 (1.4 -8.2)
60	Cooling/Heating	6.00 / 7.90					6.0 (0.6 -6.6) / 7.9 (1.4 -8.6)
71	Cooling/Heating	7.10 / 8.60					7.1 (1.7 -7.4) / 8.6 (1.6 -9.2)
22+22	Cooling/Heating	2.20 / 3.30	2.20 / 3.30				4.4 (2.0 -5.4) / 6.6 (1.8 -7.2)
22+25	Cooling/Heating	2.20 / 3.23	2.50 / 3.67				4.7 (2.0 -5.8) / 6.9 (1.8 -8.7)
22+35	Cooling/Heating	2.20 / 2.82	3.50 / 4.48				5.7 (2.0 -6.6) / 7.3 (1.8 -9.2)
22+50	Cooling/Heating	2.20 / 2.72	5.00 / 6.18				7.2 (2.0 -7.7) / 8.9 (1.8 -9.9)
22+60	Cooling/Heating	2.08 / 2.52	5.67 / 6.88				7.8 (2.0 -8.0) / 9.4 (1.8 -9.9)
22+71	Cooling/Heating	1.86 / 2.22	5.99 / 7.18				7.9 (2.0 -8.2) / 9.4 (1.8 -9.9)
25+25	Cooling/Heating	2.50 / 3.60	2.50 / 3.60				5.0 (2.0 -6.2) / 7.2 (1.8 -9.1)
25+35	Cooling/Heating	2.50 / 3.17	3.50 / 4.43				6.0 (2.0 -7.1) / 7.6 (1.8 -9.5)
25+50	Cooling/Heating	2.50 / 3.00	5.00 / 6.00				7.5 (2.0 -8.5) / 9.0 (1.8 -10.1)
25+60	Cooling/Heating	2.28 / 2.94	5.47 / 7.06				7.8 (2.0 -8.6) / 10.0 (1.8 -10.6)
25+71	Cooling/Heating	2.04 / 2.60	5.81 / 7.40				7.9 (2.0 -8.7) / 10.0 (1.8 -10.7)
35+35	Cooling/Heating	3.50 / 4.00	3.50 / 4.00				7.0 (2.0 -7.1) / 8.0 (1.8 -9.8)
35+50	Cooling/Heating	3.19 / 4.12	4.56 / 5.88				7.8 (2.0 -8.8) / 10.0 (1.8 -10.6)
35+60	Cooling/Heating	2.89 / 3.68	4.96 / 6.32				7.9 (2.0 -8.8) / 10.0 (1.8 -10.7)
35+71	Cooling/Heating	2.62 / 3.30	5.33 / 6.70				8.0 (2.0 -8.8) / 10.0 (1.8 -11.0)
50+50	Cooling/Heating	3.95 / 5.00	3.95 / 5.00				7.9 (2.1 -8.8) / 10.0 (1.9 -11.4)
50+60	Cooling/Heating	3.64 / 4.55	4.36 / 5.45				8.0 (2.1 -8.8) / 10.0 (1.9 -11.4)
50+71	Cooling/Heating	3.43 / 4.13	4.87 / 5.87				8.3 (2.1 -8.9) / 10.0 (1.9 -11.5)
60+60	Cooling/Heating	4.15 / 5.00	4.15 / 5.00				8.3 (2.1 -8.9) / 10.0 (1.9 -11.5)
60+71	Cooling/Heating	3.89 / 4.58	4.61 / 5.42				8.5 (2.1 -8.9) / 10.0 (1.9 -11.6)
71+71	Cooling/Heating	4.40 / 5.00	4.40 / 5.00				8.8 (2.1 -9.4) / 10.0 (1.9 -11.7)
22+22+22	Cooling/Heating	2.20 / 2.90	2.20 / 2.90	2.20 / 2.90			6.6 (2.9 -8.1) / 8.7 (2.6 -10.6)
22+22+25	Cooling/Heating	2.20 / 2.80	2.20 / 2.81	2.50 / 3.19			6.9 (2.9 -8.3) / 8.8 (2.6 -11.1)
22+22+35	Cooling/Heating	2.14 / 2.78	2.14 / 2.78	3.42 / 4.44			7.7 (2.9 -9.0) / 10.0 (2.6 -12.6)
22+22+50	Cooling/Heating	1.84 / 2.57	1.84 / 2.57	4.17 / 5.86			7.9 (2.9 -9.0) / 11.0 (2.6 -12.6)
22+22+60	Cooling/Heating	1.68 / 2.33	1.68 / 2.33	4.59 / 6.35			8.0 (2.9 -9.0) / 11.0 (2.6 -12.6)
22+22+71	Cooling/Heating	1.53 / 2.10	1.53 / 2.10	4.94 / 6.80			8.0 (2.9 -9.0) / 11.0 (2.6 -12.6)
22+25+25	Cooling/Heating	2.20 / 2.72	2.50 / 3.09	2.50 / 3.09			7.2 (2.9 -8.9) / 8.9 (2.6 -12.6)
22+25+35	Cooling/Heating	2.08 / 2.68	2.36 / 3.05	3.31 / 4.27			7.8 (2.9 -9.0) / 10.0 (2.6 -12.6)
22+25+50	Cooling/Heating	1.79 / 2.49	2.04 / 2.84	4.07 / 5.67			7.9 (2.9 -9.0) / 11.0 (2.6 -12.6)
22+25+60	Cooling/Heating	1.64 / 2.26	1.87 / 2.57	4.49 / 6.17			8.0 (2.9 -9.0) / 11.0 (2.6 -12.6)
22+25+71	Cooling/Heating	1.49 / 2.05	1.69 / 2.33	4.82 / 6.62			8.0 (2.9 -9.0) / 11.0 (2.6 -12.6)
22+35+35	Cooling/Heating	1.87 / 2.40	2.99 / 3.80	2.99 / 3.80			7.9 (2.9 -9.0) / 11.0 (2.6 -12.6)
22+35+50	Cooling/Heating	1.63 / 2.26	2.58 / 3.60	3.69 / 5.14			7.9 (2.9 -9.0) / 11.0 (2.7 -12.6)
22+35+60	Cooling/Heating	1.50 / 2.07	2.40 / 3.29	4.10 / 5.64			8.0 (2.9 -9.0) / 11.0 (2.7 -12.6)
22+35+71	Cooling/Heating	1.46 / 1.89	2.32 / 3.01	4.72 / 6.10			8.5 (2.9 -9.4) / 11.0 (2.7 -12.6)
22+50+50	Cooling/Heating	1.50 / 1.98	3.40 / 4.51	3.40 / 4.51			8.3 (2.9 -9.4) / 11.0 (2.7 -12.6)
22+50+60	Cooling/Heating	1.42 / 1.83	3.22 / 4.17	3.86 / 5.00			8.5 (2.9 -9.5) / 11.0 (2.7 -12.6)
22+50+71	Cooling/Heating	1.38 / 1.69	3.15 / 3.85	4.47 / 5.46			9.0 (2.9 -9.6) / 11.0 (2.7 -12.6)
22+60+60	Cooling/Heating	1.40 / 1.70	3.80 / 4.65	3.80 / 4.65			9.0 (2.9 -9.6) / 11.0 (2.7 -12.6)
22+60+71	Cooling/Heating	1.29 / 1.58	3.53 / 4.31	4.18 / 5.11			9.1 (2.9 -10.1) / 11.0 (2.7 -12.6)
25+25+25	Cooling/Heating	2.50 / 3.00	2.50 / 3.00	2.50 / 3.00			7.5 (2.9 -9.0) / 9.0 (2.6 -12.6)
25+25+35	Cooling/Heating	2.28 / 2.82	2.28 / 2.82	3.19 / 3.96			7.8 (2.9 -9.0) / 9.6 (2.6 -12.6)
25+25+50	Cooling/Heating	1.98 / 2.75	1.98 / 2.75	3.94 / 5.50			7.9 (2.9 -9.0) / 11.0 (2.6 -12.6)
25+25+60	Cooling/Heating	1.82 / 2.50	1.82 / 2.50	4.36 / 6.00			8.0 (2.9 -9.0) / 11.0 (2.6 -12.6)
25+25+71	Cooling/Heating	1.71 / 2.27	1.71 / 2.27	4.88 / 6.46			8.3 (2.9 -9.4) / 11.0 (2.6 -12.6)
25+35+35	Cooling/Heating	2.07 / 2.64	2.89 / 3.68	2.89 / 3.68			7.9 (2.9 -9.0) / 10.0 (2.6 -12.6)
25+35+50	Cooling/Heating	1.82 / 2.50	2.54 / 3.50	3.64 / 5.00			8.0 (2.9 -9.0) / 11.0 (2.7 -12.6)
25+35+60	Cooling/Heating	1.73 / 2.29	2.42 / 3.21	4.15 / 5.50			8.3 (2.9 -9.4) / 11.0 (2.7 -12.6)
25+35+71	Cooling/Heating	1.62 / 2.10	2.27 / 2.94	4.61 / 5.96			8.5 (2.9 -9.5) / 11.0 (2.7 -12.6)
25+50+50	Cooling/Heating	1.70 / 2.20	3.40 / 4.40	3.40 / 4.40			8.5 (2.9 -9.5) / 11.0 (2.7 -12.6)
25+50+60	Cooling/Heating	1.57 / 2.04	3.15 / 4.07	3.78 / 4.89			8.5 (2.9 -9.5) / 11.0 (2.7 -12.6)
25+50+71	Cooling/Heating	1.54 / 1.88	3.08 / 3.77	4.38 / 5.35			9.0 (2.9 -9.6) / 11.0 (2.7 -12.6)
25+60+60	Cooling/Heating	1.56 / 1.90	3.72 / 4.55	3.72 / 4.55			9.0 (2.9 -9.6) / 11.0 (2.7 -12.6)
25+60+71	Cooling/Heating	1.47 / 1.76	3.54 / 4.23	4.19 / 5.01			9.2 (2.9 -10.1) / 11.0 (2.7 -12.6)
35+35+35	Cooling/Heating	2.65 / 3.33	2.65 / 3.33	2.65 / 3.33			8.0 (2.9 -9.0) / 10.0 (2.6 -12.6)
35+35+50	Cooling/Heating	2.42 / 3.21	2.42 / 3.21	3.46 / 4.58			8.3 (2.9 -9.4) / 11.0 (2.7 -12.6)
35+35+60	Cooling/Heating	2.29 / 2.96	2.29 / 2.96	3.92 / 5.08			8.5 (2.9 -9.5) / 11.0 (2.7 -12.6)
35+35+71	Cooling/Heating	2.16 / 2.73	2.16 / 2.73	4.38 / 5.54			8.7 (2.9 -9.6) / 11.0 (2.7 -12.6)
35+50+50	Cooling/Heating	2.22 / 2.86	3.19 / 4.07	3.19 / 4.07			8.6 (2.9 -9.5) / 11.0 (2.7 -12.6)
35+50+60	Cooling/Heating	2.17 / 2.66	3.10 / 3.79	3.73 / 4.55			9.0 (2.9 -9.6) / 11.0 (2.7 -12.6)
35+50+71	Cooling/Heating	2.06 / 2.46	2.95 / 3.53	4.19 / 5.01			9.2 (2.9 -10.1) / 11.0 (2.7 -12.6)
35+60+60	Cooling/Heating	2.08 / 2.48	3.56 / 4.26	3.56 / 4.26			9.2 (2.9 -10.1) / 11.0 (2.7 -12.6)
35+60+71	Cooling/Heating	1.96 / 2.32	3.36 / 3.98	3.98 / 4.70			9.3 (2.9 -10.4) / 11.0 (2.7 -12.6)
50+50+50	Cooling/Heating	3.06 / 3.66	3.07 / 3.67	3.07 / 3.67			9.2 (2.9 -10.4) / 11.0 (2.7 -12.6)
50+50+60	Cooling/Heating	2.91 / 3.43	2.91 / 3.44	3.48 / 4.13			9.3 (2.9 -10.5) / 11.0 (2.7 -12.6)
50+50+71	Cooling/Heating	2.78 / 3.22	2.78 / 3.22	3.94 / 4.56			9.5 (2.9 -10.6) / 11.0 (2.7 -12.6)
22+22+22+22	Cooling/Heating	1.95 / 2.50	1.95 / 2.50	1.95 / 2.50	1.95 / 2.50		7.8 (3.7 -9.2) / 10.0 (3.4 -13.3)
22+22+22+25	Cooling/Heating	1.90 / 2.42	1.90 / 2.42	1.90 / 2.42	2.15 / 2.74		7.9 (3.7 -9.2) / 10.0 (3.4 -13.3)
22+22+22+35	Cooling/Heating	1.73 / 2.18	1.73 / 2.18	1.73 / 2.18	2.76 / 3.46		8.0 (3.7 -9.2) / 10.0 (3.4 -13.3)
22+22+22+50	Cooling/Heating	1.52 / 2.09	1.52 / 2.09	1.52 / 2.09	3.44 / 4.73		8.0 (3.7 -9.2) / 11.0 (3.5 -13.3)
22+22+22+60	Cooling/Heating	1.48 / 1.92	1.48 / 1.92	1.48 / 1.92	4.06 / 5.24		8.5 (3.7 -9.5) / 11.0 (3.5 -13.3)
22+22+22+71	Cooling/Heating	1.40 / 1.77	1.40 / 1.77	1.40 / 1.77	4.50 / 5.69		8.7 (3.7 -9.5) / 11.0 (3.5 -13.3)
22+22+25+25	Cooling/Heating	1.83 / 2.34	1.84 / 2.34	2.09 / 2.66	2.09 / 2.66		7.9 (3.7 -9.2) / 10.0 (3.4 -13.3)

MXZ-5A100VA

Combinations	Operation mode	Capacity (kW)					Total
		A	B	C	D	E	
22+22+25+35	Cooling/Heating	1.68 / 2.12	1.68 / 2.12	1.91 / 2.40	2.68 / 3.36		8.0 (3.7 -9.2) / 10.0 (3.4 -13.3)
22+22+25+50	Cooling/Heating	1.52 / 2.03	1.52 / 2.03	1.72 / 2.31	3.44 / 4.63		8.2 (3.7 -9.4) / 11.0 (3.5 -13.3)
22+22+25+60	Cooling/Heating	1.45 / 1.88	1.45 / 1.88	1.65 / 2.13	3.95 / 5.11		8.5 (3.7 -9.5) / 11.0 (3.5 -13.3)
22+22+25+71	Cooling/Heating	1.37 / 1.73	1.37 / 1.73	1.55 / 1.96	4.41 / 5.58		8.7 (3.7 -9.6) / 11.0 (3.5 -13.3)
22+22+35+35	Cooling/Heating	1.54 / 1.93	1.54 / 1.93	2.46 / 3.07	2.46 / 3.07		8.0 (3.7 -9.2) / 10.0 (3.4 -13.3)
22+22+35+50	Cooling/Heating	1.45 / 1.88	1.45 / 1.88	2.31 / 2.98	3.29 / 4.26		8.5 (3.7 -9.5) / 11.0 (3.5 -13.3)
22+22+35+60	Cooling/Heating	1.38 / 1.74	1.38 / 1.74	2.19 / 2.77	3.75 / 4.75		8.7 (3.7 -9.6) / 11.0 (3.5 -13.3)
22+22+35+71	Cooling/Heating	1.32 / 1.61	1.32 / 1.61	2.10 / 2.57	4.26 / 5.21		9.0 (3.7 -10.1) / 11.0 (3.5 -13.3)
22+22+50+50	Cooling/Heating	1.37 / 1.68	1.37 / 1.68	3.13 / 3.82	3.13 / 3.82		9.0 (3.7 -10.1) / 11.0 (3.4 -13.3)
22+22+50+60	Cooling/Heating	1.29 / 1.57	1.29 / 1.57	2.92 / 3.57	3.50 / 4.29		9.0 (3.7 -10.1) / 11.0 (3.5 -13.3)
22+22+50+71	Cooling/Heating	1.24 / 1.47	1.24 / 1.47	2.82 / 3.33	4.00 / 4.73		9.3 (3.7 -10.2) / 11.0 (3.5 -13.3)
22+25+25+25	Cooling/Heating	1.78 / 2.26	2.04 / 2.58	2.04 / 2.58	2.04 / 2.58		7.9 (3.7 -9.2) / 10.0 (3.4 -13.3)
22+25+25+35	Cooling/Heating	1.63 / 2.05	1.86 / 2.34	1.86 / 2.34	2.60 / 3.27		8.0 (3.7 -9.2) / 10.0 (3.4 -13.3)
22+25+25+50	Cooling/Heating	1.50 / 1.98	1.70 / 2.25	1.70 / 2.25	3.40 / 4.52		8.3 (3.7 -9.5) / 11.0 (3.5 -13.3)
22+25+25+60	Cooling/Heating	1.42 / 1.83	1.61 / 2.08	1.61 / 2.08	3.86 / 5.01		8.5 (3.7 -9.6) / 11.0 (3.5 -13.3)
22+25+25+71	Cooling/Heating	1.38 / 1.69	1.57 / 1.92	1.57 / 1.92	4.48 / 5.47		9.0 (3.7 -10.1) / 11.0 (3.5 -13.3)
22+25+35+35	Cooling/Heating	1.57 / 2.07	1.77 / 2.35	2.48 / 3.29	2.48 / 3.29		8.2 (3.7 -9.4) / 11.0 (3.4 -13.3)
22+25+35+50	Cooling/Heating	1.42 / 1.83	1.61 / 2.08	2.25 / 2.92	3.22 / 4.17		8.5 (3.7 -9.6) / 11.0 (3.5 -13.3)
22+25+35+60	Cooling/Heating	1.40 / 1.70	1.58 / 1.94	2.22 / 2.71	3.80 / 4.65		9.0 (3.7 -10.1) / 11.0 (3.5 -13.3)
22+25+35+71	Cooling/Heating	1.29 / 1.58	1.47 / 1.80	2.06 / 2.52	4.18 / 5.10		9.0 (3.7 -10.2) / 11.0 (3.5 -13.3)
22+25+50+50	Cooling/Heating	1.35 / 1.65	1.53 / 1.87	3.06 / 3.74	3.06 / 3.74		9.0 (3.7 -10.1) / 11.0 (3.5 -13.3)
22+25+50+60	Cooling/Heating	1.26 / 1.54	1.43 / 1.75	2.87 / 3.50	3.44 / 4.21		9.0 (3.7 -10.1) / 11.0 (3.5 -13.3)
22+25+50+71	Cooling/Heating	1.22 / 1.44	1.38 / 1.64	2.77 / 3.27	3.93 / 4.65		9.3 (3.7 -10.7) / 11.0 (3.5 -13.3)
22+35+35+35	Cooling/Heating	1.48 / 1.91	2.34 / 3.03	2.34 / 3.03	2.34 / 3.03		8.5 (3.7 -9.5) / 11.0 (3.4 -13.3)
22+35+35+50	Cooling/Heating	1.39 / 1.70	2.22 / 2.71	2.22 / 2.71	3.17 / 3.88		9.0 (3.7 -9.6) / 11.0 (3.5 -13.3)
22+35+35+60	Cooling/Heating	1.30 / 1.59	2.07 / 2.53	2.07 / 2.53	3.56 / 4.35		9.0 (3.7 -10.1) / 11.0 (3.5 -13.3)
22+35+35+71	Cooling/Heating	1.25 / 1.48	2.00 / 2.36	2.00 / 2.36	4.05 / 4.80		9.3 (3.7 -10.6) / 11.0 (3.5 -13.3)
22+35+50+50	Cooling/Heating	1.31 / 1.54	2.07 / 2.45	2.96 / 3.50	2.96 / 3.51		9.3 (3.7 -10.6) / 11.0 (3.5 -13.3)
25+25+25+25	Cooling/Heating	1.98 / 2.50	1.98 / 2.50	1.98 / 2.50	1.98 / 2.50		7.9 (3.7 -9.2) / 10.0 (3.4 -13.3)
25+25+25+35	Cooling/Heating	1.82 / 2.27	1.82 / 2.27	1.82 / 2.27	2.54 / 3.19		8.0 (3.7 -9.2) / 10.0 (3.4 -13.3)
25+25+25+50	Cooling/Heating	1.70 / 2.20	1.70 / 2.20	1.70 / 2.20	3.40 / 4.40		8.5 (3.7 -9.5) / 11.0 (3.5 -13.3)
25+25+25+60	Cooling/Heating	1.59 / 2.04	1.59 / 2.04	1.59 / 2.04	3.83 / 4.88		8.6 (3.7 -9.6) / 11.0 (3.5 -13.3)
25+25+25+71	Cooling/Heating	1.54 / 1.88	1.54 / 1.88	1.54 / 1.88	4.38 / 5.36		9.0 (3.7 -10.1) / 11.0 (3.5 -13.3)
25+25+35+35	Cooling/Heating	1.73 / 2.29	1.73 / 2.29	2.42 / 3.21	2.42 / 3.21		8.3 (3.7 -9.5) / 11.0 (3.4 -13.3)
25+25+35+50	Cooling/Heating	1.67 / 2.04	1.67 / 2.04	2.33 / 2.85	3.33 / 4.07		8.7 (3.7 -9.6) / 11.0 (3.5 -13.3)
25+25+35+60	Cooling/Heating	1.55 / 1.90	1.55 / 1.90	2.17 / 2.66	3.73 / 4.54		9.0 (3.7 -10.1) / 11.0 (3.5 -13.3)
25+25+35+71	Cooling/Heating	1.47 / 1.76	1.47 / 1.76	2.06 / 2.47	4.20 / 5.01		9.2 (3.7 -10.6) / 11.0 (3.5 -13.3)
25+25+50+50	Cooling/Heating	1.50 / 1.83	1.50 / 1.83	3.00 / 3.67	3.00 / 3.67		9.0 (3.7 -10.1) / 11.0 (3.5 -13.3)
25+25+50+60	Cooling/Heating	1.45 / 1.72	1.45 / 1.72	2.91 / 3.44	3.49 / 4.12		9.3 (3.7 -10.7) / 11.0 (3.5 -13.3)
25+25+50+71	Cooling/Heating	1.39 / 1.61	1.39 / 1.61	2.78 / 3.22	3.94 / 4.56		9.5 (3.7 -10.7) / 11.0 (3.5 -13.3)
25+35+35+35	Cooling/Heating	1.63 / 2.12	2.29 / 2.96	2.29 / 2.96	2.29 / 2.96		8.5 (3.7 -9.6) / 11.0 (3.4 -13.3)
25+35+35+50	Cooling/Heating	1.55 / 1.89	2.17 / 2.66	2.17 / 2.66	3.11 / 3.79		9.0 (3.7 -10.1) / 11.0 (3.5 -13.3)
25+35+35+60	Cooling/Heating	1.48 / 1.77	2.08 / 2.48	2.08 / 2.48	3.56 / 4.27		9.2 (3.7 -10.1) / 11.0 (3.5 -13.3)
25+35+35+71	Cooling/Heating	1.40 / 1.66	1.96 / 2.32	1.96 / 2.32	3.98 / 4.70		9.3 (3.7 -10.6) / 11.0 (3.5 -13.3)
35+35+35+35	Cooling/Heating	2.25 / 2.75	2.25 / 2.75	2.25 / 2.75	2.25 / 2.75		9.0 (3.7 -10.1) / 11.0 (3.4 -13.3)
35+35+35+50	Cooling/Heating	2.08 / 2.48	2.08 / 2.48	2.08 / 2.48	2.96 / 3.56		9.2 (3.7 -10.6) / 11.0 (3.5 -13.3)
35+35+35+60	Cooling/Heating	1.97 / 2.33	1.97 / 2.33	1.97 / 2.33	3.39 / 4.01		9.3 (3.7 -10.6) / 11.0 (3.5 -13.3)
22+22+22+22+22	Cooling/Heating	2.00 / 2.40	2.00 / 2.40	2.00 / 2.40	2.00 / 2.40	2.00 / 2.40	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+22+25	Cooling/Heating	1.95 / 2.34	1.95 / 2.34	1.95 / 2.34	1.95 / 2.34	2.20 / 2.65	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+22+35	Cooling/Heating	1.79 / 2.15	1.79 / 2.15	1.79 / 2.15	1.79 / 2.15	2.84 / 3.40	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+22+50	Cooling/Heating	1.59 / 1.91	1.59 / 1.91	1.59 / 1.91	1.59 / 1.91	3.64 / 4.36	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+22+60	Cooling/Heating	1.49 / 1.78	1.49 / 1.78	1.49 / 1.78	1.49 / 1.78	4.04 / 4.88	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+22+71	Cooling/Heating	1.38 / 1.66	1.38 / 1.66	1.38 / 1.66	1.38 / 1.66	4.48 / 5.36	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+25+25	Cooling/Heating	1.90 / 2.28	1.90 / 2.28	1.90 / 2.28	2.15 / 2.58	2.15 / 2.58	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+25+35	Cooling/Heating	1.75 / 2.10	1.75 / 2.10	1.75 / 2.10	1.97 / 2.38	2.78 / 3.32	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+25+50	Cooling/Heating	1.56 / 1.87	1.56 / 1.87	1.56 / 1.87	1.77 / 2.13	3.55 / 4.26	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+25+60	Cooling/Heating	1.46 / 1.75	1.46 / 1.75	1.46 / 1.75	1.66 / 1.99	3.96 / 4.76	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+25+71	Cooling/Heating	1.36 / 1.63	1.36 / 1.63	1.36 / 1.63	1.54 / 1.85	4.38 / 5.26	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+35+35	Cooling/Heating	1.62 / 1.94	1.62 / 1.94	1.62 / 1.94	2.57 / 3.09	2.57 / 3.09	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+35+50	Cooling/Heating	1.46 / 1.75	1.46 / 1.75	1.46 / 1.75	2.32 / 2.78	3.30 / 3.97	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+35+60	Cooling/Heating	1.37 / 1.64	1.37 / 1.64	1.37 / 1.64	2.17 / 2.61	3.72 / 4.47	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+22+35+71	Cooling/Heating	1.28 / 1.53	1.28 / 1.53	1.28 / 1.53	2.03 / 2.44	4.13 / 4.95	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+25+25+25	Cooling/Heating	1.85 / 2.22	1.85 / 2.22	2.10 / 2.52	2.10 / 2.52	2.10 / 2.52	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+25+25+35	Cooling/Heating	1.71 / 2.04	1.71 / 2.04	1.94 / 2.33	1.94 / 2.33	2.70 / 3.26	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+25+25+50	Cooling/Heating	1.53 / 1.83	1.53 / 1.83	1.74 / 2.08	1.74 / 2.08	3.46 / 4.18	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+25+25+60	Cooling/Heating	1.43 / 1.71	1.43 / 1.71	1.62 / 1.95	1.62 / 1.95	3.90 / 4.68	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+25+25+71	Cooling/Heating	1.33 / 1.60	1.33 / 1.60	1.52 / 1.82	1.52 / 1.82	4.30 / 5.16	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+25+35+35	Cooling/Heating	1.58 / 1.90	1.58 / 1.90	1.80 / 2.16	2.52 / 3.02	2.52 / 3.02	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+25+35+50	Cooling/Heating	1.43 / 1.71	1.43 / 1.71	1.62 / 1.95	2.27 / 2.73	3.25 / 3.90	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+22+25+35+60	Cooling/Heating	1.47 / 1.77	1.47 / 1.77	2.35 / 2.82	2.35 / 2.82	2.35 / 2.82	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+25+25+25+25	Cooling/Heating	1.80 / 2.16	2.05 / 2.46	2.05 / 2.46	2.05 / 2.46	2.05 / 2.46	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+25+25+25+35	Cooling/Heating	1.67 / 2.00	1.89 / 2.27	1.89 / 2.27	1.89 / 2.27	2.66 / 3.19	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+25+25+25+50	Cooling/Heating	1.50 / 1.80	1.70 / 2.04	1.70 / 2.04	1.70 / 2.04	3.40 / 4.08	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+25+25+25+60	Cooling/Heating	1.40 / 1.68	1.59 / 1.91	1.59 / 1.91	1.59 / 1.91	3.83 / 4.59	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+25+25+25+71	Cooling/Heating	1.30 / 1.57	1.49 / 1.79	1.49 / 1.79	1.49 / 1.79	4.23 / 5.07	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+25+25+35+35	Cooling/Heating	1.56 / 1.86	1.76 / 2.11	1.76 / 2.11	2.46 / 2.96	2.46 / 2.96	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+25+25+35+50	Cooling/Heating	1.40 / 1.68	1.59 / 1.91	1.59 / 1.91	2.23 / 2.68	3.19 / 3.82	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+25+25+35+60	Cooling/Heating	1.31 / 1.58	1.50 / 1.80	1.50 / 1.80	2.10 / 2.51	3.59 / 4.31	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
22+25+25+35+71	Cooling/Heating	1.46 / 1.75	1.64 / 1.97	2.30 / 2.76	2.30 / 2.76	3.00 / 3.60	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
25+25+25+25+25	Cooling/Heating	2.00 / 2.40	2.00 / 2.40	2.00 / 2.40	2.00 / 2.40	2.00 / 2.40	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
25+25+25+25+35	Cooling/Heating	1.85 / 2.22	1.85 / 2.22	1.85 / 2.22	1.85 / 2.22	2.60 / 3.12	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
25+25+25+25+50	Cooling/Heating	1.67 / 2.00	1.67 / 2.00	1.67 / 2.00	1.67 / 2.00	3.32 / 4.00	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
25+25+25+25+60	Cooling/Heating	1.56 / 1.88	1.56 / 1.88	1.56 / 1.88	1.56 / 1.88	3.76 / 4.50	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
25+25+25+25+71	Cooling/Heating	1.46 / 1.75	1.46 / 1.75	1.46 / 1.75	1.46 / 1.75	4.16 / 4.98	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
25+25+25+35+35	Cooling/Heating	1.72 / 2.07	1.72 / 2.07	1.72 / 2.07	2.42 / 2.90	2.42 / 2.90	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
25+25+35+35+35	Cooling/Heating	1.61 / 1.94	1.61 / 1.94	2.26 / 2.71	2.26 / 2.71	2.26 / 2.71	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)
25+25+35+35+50	Cooling/Heating	1.47 / 1.76	1.47 / 1.76	2.06 / 2.47	2.06 / 2.47	2.94 / 3.54	10.0 (3.9 -11.0) / 12.0 (4.1 -14.0)